

IN THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended) Method for operating a mobile terminal device having an application (50-56) and wherein said mobile terminal device can access at least one data connection (10, 12, 14, 16, 18), comprising the steps of:
[[-]] obtaining properties (100) of at least one data connection (10, 12, 14, 16, 18) accessible from said mobile terminal device,
characterized by
[[-]] adapting (102) a configuration of said application (50-56) on said terminal device in accordance with said properties.
2. (Original) Method according to claim 1, wherein the only available property comprises the identification of said data connection (10, 12, 14, 16, 18).
3. (Currently Amended) Method according to claim 1 ~~or 2~~, wherein said properties are obtained (100) when a specific data connection (10, 12, 14, 16, 18) is selected.
4. (Currently Amended) Method according to ~~anyone of the claims 1 to 3~~ claim 1, wherein said at least one accessible data connection (10, 12, 14, 16, 18) is a potentially accessible data connection (10, 12, 14, 16, 18).
5. (Currently Amended) Method according to ~~anyone of the claims 1 to 4~~ claim 1, further comprising the step of determining actually accessible data connections (10, 12, 14, 16, 18), and wherein said properties are obtained (100) during said determination.
6. (Currently Amended) Method according to ~~anyone of the preceding claims~~ claim 1, further comprising the step of determining active applications (50-56), and adapting (102) the configurations of said determined active applications (50-56).
7. (Currently Amended) Method according to ~~anyone of the preceding claims~~ claim 1, further comprising the step of starting (80) an application (50-56) on a mobile terminal device prior to obtaining (100) said properties.

8. (Currently Amended) Method according to ~~anyone of the preceding claims~~claim 1, further comprising the step of detecting (90) a data transfer to be performed by an application (50-56), prior to obtaining (100) said properties.
9. (Currently Amended) Method according to ~~anyone of the preceding claims~~claim 1, further comprising the step of selecting an appropriate data connection (10, 12, 14, 16, 18).
10. (Currently Amended) Software tool for adapting (102) ~~the~~a configuration of an application (50-56) of a mobile terminal to an accessible data connection (10, 12, 14, 16, 18), comprising program code means for carrying out the steps of ~~anyone of claims 1 to 9~~claim 1 when ~~said program code~~ of said program code means is run on a mobile terminal device.
11. (Currently Amended) Computer program for adapting (102) ~~the~~a configuration of an application (50-56) of a mobile terminal to an accessible data connection (10, 12, 14, 16, 18), comprising program code means for carrying out the steps of ~~anyone of claims 1 to 9~~claim 1 when ~~said program code~~ of said program code means is run on a mobile terminal device.
12. (Currently Amended) Computer program product comprising program code means stored on a computer readable medium for carrying out the method of ~~anyone of claims 1 to 9~~claim 1 when ~~said program code~~ of said computer program product means is run on a mobile terminal device.
13. (Currently Amended) Mobile terminal device comprising:
 - [[~~-~~]]data exchanging means, capable of accessing at least one data connection (10, 12, 14, 16, 18);
 - [[~~-~~]]data processing means, capable of running applications (50-56); and
 - [[~~-~~]]means for obtaining properties of at least one data connection (10, 12, 14, 16, 18) accessible by said data exchanging means;characterized by

[[~~-~~]] means for adapting (2, 40 44, 46, 48) ~~the~~ configuration of at least one application (50-56) according to said obtained properties.

14. (Original) Mobile terminal device according to claim 13, further comprising means for selecting one of said at least one accessible data connections (10, 12, 14, 16, 18).

15. (Currently Amended) Mobile terminal device according to claim 13 ~~or 14~~, further comprising means for storing said ~~configurations~~ configuration of said ~~applications (50-56)~~ at least one application for said at least one accessible data connection (10, 12, 14, 16, 18).

16. (New) Mobile terminal device, comprising:

an access subsystem (4), responsive to a selection signal (22), for selecting at least one access system from among a plurality of selectable access systems (10, 12, 14, 16, 18);

a media selection subsystem (2) for providing said selection signal (22);

an application subsystem (6) having at least one application (50, 52, 56, ...); and

a configuration server (8), responsive to said selection signal (22), for selecting a specific data connection (10, 12, 14, 16, 18) for said at least one application.

17. (New) Mobile terminal device according to claim 16, wherein said selection signal is provided only if a data transfer is to be executed.

18. (New) Mobile terminal device according to claim 17, wherein said selection signal is provided only if a data transfer connection is available.

19. (New) Mobile terminal device according to claim 16, wherein said selection signal is provided only if a data transfer connection is available.

20. (New) Mobile terminal device according to claim 16, wherein said selection signal is provided only if a data transfer is actually required.